

FIG. 1




FIG. 2





FIG. 3

RECEIVE A DEFINE GROUP COMMAND







FIG. 5



SWAP INTERFACE




FIG. 7

```

graph TD
    310[SWAP DEVICE] --> 311[RAISE THE IOS LEVEL FOR THE LOGICAL  
DEVICE IN THE SOURCE DATA STORAGE  
FACILITY]
    311 --> 340{OK?}
    340 -- Y --> 312[RECONFIGURE THE RDF CONFIGURATION]
    340 -- N --> 343[BACKOUT THE SWAP FOR THE  
DEVICE WITH A REVERSE SWAP  
OPERATION]
    312 --> 341{OK?}
    341 -- Y --> 313[SWAP THE UCB/DCE DATA ASSOCIATED  
WITH EACH OF THE LOCAL AND REMOTE  
LOGICAL DEVICES]
    341 -- N --> 343
    313 --> 342{OK?}
    342 -- Y --> 314{CONSISTENT  
SWAP?}
    342 -- N --> 343
    314 -- Y --> 315[LOWER THE IOS LEVEL FOR THE LOGICAL  
DEVICE IN THE SOURCE DATA STORAGE  
FACILITY]
    314 -- N --> 343
    315 --> 316[RESET THE SOURCE VOLUME STATUS]
    316 --> 317[SIGNAL COMPLETION OF THE SWAP]
    317 --> 318((SWAP  
COMPLETE))
    343 --> 344[SIGNAL AN ERROR IN THE  
SWAP OPERATION]
    344 --> 318

```

FIG. 8

SWAP GROUP




FIG. 9